



**45ACP**

FN HERSTAL

SKU	Designation	RGA	French Law	Caliber	Shots	Trigger	Thread	Barrel (cm)	Length (cm)	MSRP
FN009	FN Herstal 545 Tactical 45 ACP FDE/FDE semi-automatic pistol	CB995	B	.45 Auto (ACP)	19	D.A.	.578 x 28	12	21.1	1159.00 € incl. tax

## The FN 545 Tactical: the ultra-high capacity large caliber pistol!

Very large capacity in 45 ACP of 18+1 cartridges! Pistol designed for sound suppressors: threaded barrel, high riser and front sight for aiming above the silencer.

Pistol pre-equipped with a low profile interface for mounting a red dot in minutes.

- Up to 19 rounds (18+1): ultra-large capacity in .45 ACP
- Precision adjusted trigger with clean start
- 12 cm barrel in forged and cold hammered steel with chamfered mouth
- Thread .578x28
- High resistance conical striker
- An extended 18-round magazine and a 15-round magazine
- Picatinny rail
- Dovetail-mounted sights
- Slide prepared for optical mounting

Nothing is left to chance with an 18+1 round capacity, setting an unparalleled standard for magazine capacity in the .45 ACP caliber. Prepared for sound suppressors, equipped with a threaded barrel and sights aligned with most MRD sights, this pistol, ahead of its competitors, is further refined by the proven ergonomics of the FN 509® Tactical.

Shooters can mount their preferred red dot sight in minutes, providing precise control at their fingertips. Featuring a high-endurance firing pin and a crisp trigger pull with approximately 2.72 kg,

the FN 545 Tactical embodies what other large-caliber pistols aspire to be as they grow in stature. A harmonious blend of capability, versatility, and accuracy, this pistol redefines expectations in the world of large-caliber firearms.

## **1. Impressive Capacity:**

- One 15-round magazine and one 18-round magazine setting a benchmark in magazine capacity.

## **2. Advanced Optical Interface:**

- Take advantage of the low-profile interface for optics, offering unparalleled versatility.

## **3. Precision Trigger:**

- Precision-tuned trigger with a crisp break, offering ultimate control.

## **4. Ambidextrous Controls:**

- Fully ambidextrous controls for easy handling.

## **5. Improved Handling:**

- Handle with improved grip for unparalleled control.

## **6. High-Performance Canon:**

- 12cm long barrel, cold hammer forged with chamfered muzzle for lasting accuracy.
- Polished chamber and feed ramp for smooth operation.
- .578" x 28 threaded barrel for compensator or sound moderator mounting.

## **7. Multipurpose Slide:**

- Slide prepared for mounting most optics, eliminating the need for a gunsmith.
- Machined steel with grip grooves at the front and rear, loaded chamber indicator.
- Steel dovetail sight aligned with most MRD optics.
- High-strength conical striker.

## **8. High-Performance Chargers:**

- Extended 18-round magazine and 15-round magazine.
- Low friction conveyor, polymer base plate and nickel-plated steel body.

## **9. Ergonomic Carcass:**

- Superior balance and recoil-absorbing grip texture allow for perfect control.
- Precision trigger with a clean break at approximately 2.72 kg.
- Interchangeable back grips for optimal customization.
- MIL-STD-1913 accessory mounting rail (Picatinny).

## **10. Intuitive Operating Controls:**

- Fully ambidextrous slide stop and magazine lock.

## **Comes with a complete set:**

- Two interchangeable handle backs.
- One 18-round magazine and one 15-round magazine.
- Four MRD mounting plates.
- User manual.
- Locking device.
- Premium quality case with zipper.

Experience operational perfection with the FN 545 Tactical, an unparalleled choice for demanding big-caliber enthusiasts.

## **Included with:**

- Two interchangeable handle backs
- An 18-round magazine and a 15-round magazine
- Four MRD mounting positions (see diagram for compatibility)
- User manual

- Locking device
- Premium quality case with zipper

*Les prix de vente conseillés sont mentionnés à titre indicatif. Les armuriers sont libres de vendre au prix qu'ils souhaitent. Textes et photos non contractuels, sujet à modification.*